L Number	Hits	Search Text	DB	Time stamp
1	10782	(encod$3 encrypt$4 encipher$7 cipher$7) near4 key$1	USPAT; IBM_TDB	2004/07/08 11:32
2	12996	(encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely)	USPAT; IBM_TDB	2004/07/08 12:03
3	2629	((encod$3 encrypt$4 encipher$7 cipher$7) near4 key$1) and ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))	USPAT; IBM_TDB	2004/07/08 15:15
4	1659	(((encod$3 encrypt$4 encipher$7 cipher$7) near4 key$1) and ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))) and (purg$3 unrender$4 delet$3 remov$3 eras$3 rid)	USPAT; IBM_TDB	2004/07/08 11:56
5	11534	key$1 near3 (delet$3 remov$3 eras$3 rid)	USPAT; IBM_TDB	2004/07/08 11:57
6	345	(key$1 near3 (delet$3 remov$3 eras$3 rid)) and (((((encod$3 encrypt$4 encipher$7 cipher$7) near4 key$1) and ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))) and (purg$3 unrender$4 delet$3 remov$3 eras$3 rid))	USPAT; IBM_TDB	2004/07/08 11:57
7	3158	unencod$3 unencrypt$4 unencipher$7 uncipher$7 un-encrypt$4 un-encipher$7 un-encod$3 nonencrypt$4 non-encrypt$4 non-encipher$7 nonencipher$7	USPAT; IBM_TDB	2004/07/08 12:05
8	144	(unencod$3 unencrypt$4 unencipher$7 uncipher$7 un-encrypt$4 un-encipher$7 un-encod$3 nonencrypt$4 non-encrypt$4 non-encipher$7 nonencipher$7) and ((key$1 near3 (delet$3 remov$3 eras$3 rid)) and (((((encod$3 encrypt$4 encipher$7 cipher$7) near4 key$1) and ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))) and (purg$3 unrender$4 delet$3 remov$3 eras$3 rid)))	USPAT; IBM_TDB	2004/07/08 12:06
9	562	(stor$3 ram rom eeprom eprom prom memor$3) near2 ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))	USPAT; IBM_TDB	2004/07/08 15:16
10	32	((stor$3 ram rom eeprom eprom prom memor$3) near2 ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))) and (key$1 near3 (delet$3 remov$3 eras$3 rid))	USPAT; IBM_TDB	2004/07/08 15:36
11	16170	((707/100) or (707/102) or (707/103r) or (707/103y) or (707/103x) or (707/200) or (711/100) or (711/163) or (709/200) or (709/201) or (709/203) or (709/223-225) or (709/229) or (380/228) or (380/37) or (380/277-279) or (380/282) or (380/28-30) or (713/193) or (713/200-201)).CCLS.	USPAT; IBM_TDB	2004/07/08 16:03
12	1196	(((707/100) or (707/102) or (707/103r) or (707/103y) or (707/103x) or (707/200) or (711/100) or (711/163) or (709/200) or (709/201) or (709/203) or (709/223-225) or (709/229) or (380/228) or (380/37) or (380/277-279) or (380/282) or (380/28-30) or (713/193) or (713/200-201)).CCLS.) and ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))	USPAT; IBM_TDB	2004/07/08 16:05

13	156	(((((707/100) or (707/102) or (707/103r) or (707/103y) or (707/103x) or (707/200) or (711/100) or (711/163) or (709/200) or (709/201) or (709/203) or (709/223-225) or (709/229) or (380/228) or (380/37) or (380/277-279) or (380/282) or (380/28-30) or (713/193) or (713/200-201)).CCLS.) and ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))) and (key$1 near3 (delet$3 remov$3 eras$3 rid))	USPAT; IBM_TDB	2004/07/08 16:06
14	141	((((((707/100) or (707/102) or (707/103r) or (707/103y) or (707/103x) or (707/200) or (711/100) or (711/163) or (709/200) or (709/201) or (709/203) or (709/223-225) or (709/229) or (380/228) or (380/37) or (380/277-279) or (380/282) or (380/28-30) or (713/193) or (713/200-201)).CCLS.) and ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))) and (key$1 near3 (delet$3 remov$3 eras$3 rid))) not (((stor$3 ram rom eeprom eprom prom memor$3) near2 ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))) and (key$1 near3 (delet$3 remov$3 eras$3 rid)))	USPAT; IBM_TDB	2004/07/08 16:06
15	83	(((((((707/100) or (707/102) or (707/103r) or (707/103y) or (707/103x) or (707/200) or (711/100) or (711/163) or (709/200) or (709/201) or (709/203) or (709/223-225) or (709/229) or (380/228) or (380/37) or (380/277-279) or (380/282) or (380/28-30) or (713/193) or (713/200-201)).CCLS.) and ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))) and (key$1 near3 (delet$3 remov$3 eras$3 rid))) not (((stor$3 ram rom eeprom eprom prom memor$3) near2 ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))) and (key$1 near3 (delet$3 remov$3 eras$3 rid)))) not ((unencod$3 unencrypt$4 unencipher$7 uncipher$7 un-encrypt$4 un-encipher$7 un-encod$3 nonencrypt$4 non-encrypt$4 non-encipher$7 nonencipher$7) and ((key$1 near3 (delet$3 remov$3 eras$3 rid)) and ((((encod$3 encrypt$4 encipher$7 cipher$7) near4 key$1) and ((encod$3 encrypt$4 encipher$7 cipher$7) near3 (only solely))) and (purg$3 unrender$4 delet$3 remov$3 eras$3 rid))))	USPAT; IBM_TDB	2004/07/08 16:06